



Polished Cnc Magnetron Sputtering Target Titanium Material For Flat Display

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: N/M
- Certification: ISO9001:2015 certification
- Model Number: CDX--TB-2021018
- Minimum Order Quantity: Samples available
- Price: Negotiable
- Packaging Details: plywood case
- Delivery Time: 5-35 working days
- Supply Ability: 50000KG/month



Product Specification

- Keywords: High Purity Metal Target Titanium
- Application: Liquid Crystal Display, Laser Memory,
- Grade: Gr1
- Name: Titanium Niobium Target
- Ti Content (%): 99.6%, 99.99%, 99, 99.95%-99.999%, 95%
- Shape: Round, Customs Made, Round & Rectangle, Tube/ Plate, As Request
- Surface: Polished, Cleaning, CNC Lathe Surface, Pickled, Bright
- Product Name: Titanium Disc, titanium Bars, Chromium Aluminum Alloy, Ti Flat Sputtering Target, titanium Sputtering Target
- Highlight: **Polished Magnetron Sputtering Target, Cnc Magnetron Sputtering Target, Flat Display Sputtering Target Material**



More Images



for more products please visit us on titanium-part.com

Product Description

High Purity Titanium Niobium Rotary Target Sputtering Target
 Square Pure Titanium Sputtering Target High Purity 99.995% Circular Ti Titanium Sputtering Target
Titanium sputtering target
 PVD coating Grade 1 Titanium Arc Target Ti Target titanium sputtering target
 target pure titanium target, MMO Coating Titanium Anode

★ Material	
Titanium	Gr. 1
Key words	Titanium target
Titanium sputtering target , target pure titanium target, MMO Coating Titanium Anode	
Application:	
◆ liquid crystal display, laser memory,	
◆ Electronic controller sputtering thin film material,	
◆ Semiconductor integrated circuits,	
◆ Solar photovoltaic, Recording medium,	
◆ Flat display, Workpiece surface coating etc..	

Tolerance	+/-0.01mm
Surface	Polished, Cleaning, CNC lathe surface, Pickled, bright
Dimensions	according customer's request.
Ti content(%)	99.96% 99.98% 99.99%
Density	4.51g/cm ³
Color	titanium original color
Services: CNC , machining, turning, milling, stamping, casting, drilling, grinding, threading etc.	



Terms of trade	EXW, FOB, CIF
Terms of payment	T/T, L/C
Packing	plastic paper inside, plywood case outside.

Quality control	Ultrasonic testing & material test report
Delivery time	7-30 days
MOQ	Small order quantity is acceptable.
Business Type	Manufacturer, Foreign Trading

High purity and high density sputtering targets include:

Sputtering target (purity: 99.9% - 99.999%)

Titanium target titanium sputtering target is used for liquid crystal display, laser memory, electronic controller sputtering thin film materials, semiconductor integrated circuits, solar photovoltaic, recording media, plane display and workpiece surface coating

Q: Why choose us?

A1: We have 14 years experience for titanium products making.

A2: sample order is acceptable.

A3: lower price, good quality and short delivery time.

A4: The quotation can be made within 24 hours.

A5: ISO9001:2015 certification

A6: Give us drawing, make your drawings and ideas become a reality!

A7: Provide third-party quality inspection reports.



Baoji Luox Quality Metals Co., Ltd.

+8613911115555

test@test.com

titanium-part.com

GAOYA INTERSECTION, BAOTAI ROAD GAOXIN DISTRICT, BAOJI SHAANXI CHINA