



ASTM B265 Titanium Sputtering Target 99.99% Ti Material For Liquid Crystal Display

Our Product Introduction

for more products please visit us on titanium-part.com


Basic Information

- Place of Origin: China
- Brand Name: QUALITY METALS
- Certification: ISO9001:2015 certification
- Model Number: CDX--TB-2021030
- Minimum Order Quantity: Samples available
- Price: Negotiable
- Packaging Details: plywood case
- Delivery Time: 5-35 working days
- Supply Ability: 50000KG/month



Product Specification

- Keywords: Titanium Plate Sputtering High Purity Titanium Target ASTM B265
- NAME: Titanium Sputtering Target Customized Dimension Gr 1 Target
- Keyword: Titanium Bars , Titanium Sputtering Target,pure Titanium Target,MMO Coating Titanium Anode
- Grade: Gr1
- Ti Content (%): 99.6%, 99.99%, 99, 99.95%-99.999%, 95%
- Shape: Round, Customs Made, Round & Rectangle, Tube/ Plate, As Request
- Surface: Polished, Cleaning, CNC Lathe Surface, Pickled, Bright
- Product Name: Titanium Disc,titanium Bars,Chromium Aluminum Alloy,Ti Flat Sputtering Target,titanium Sputtering Target
- Standard: ASTM Standard B265 Grade1
- Name: Titanium Plate



More Images



Product Description

Titanium plate sputtering high purity titanium target ASTM b265
High purity and high density sputtered titanium target liquid crystal display
High purity sputtered titanium target liquid crystal display strip target
Sputtered titanium target purity 99.99% titanium target plate titanium plate
ASTM b265

★ Material	
Titanium	titanium target grade 1 titanium plate
Key words	Titanium sputtering target
Titanium sputtering target , target pure titanium target, MMO Coating Titanium Anode	
Application:	
◆ liquid crystal display, laser memory,	
◆ Electronic controller sputtering thin film material,	
◆ Semiconductor integrated circuits,	
◆ Solar photovoltaic, Recording medium,	
◆ Flat display, Workpiece surface coating etc..	

Tolerance	+/-0.01mm
Surface	Polished, Cleaning, CNC lathe surface, Pickled, bright
Dimensions	according customer's request.
Ti content(%)	99.96% 99.98% 99.99%
Density	4.51g/cm3
Color	titanium original color
Services: CNC , machining, turning, milling, stamping, casting, drilling, grinding, threading etc.	



100% quality inspection



Clean the surface to avoid defects such as oil stains, scratches, etc.





Packing



Terms of trade	EXW, FOB, CIF
Terms of payment	T/T, L/C
Packing	plastic paper inside, plywood case outside.
Quality control	Ultrasonic testing & material test report
Delivery time	7-30 days
MOQ	Small order quantity is acceptable.
Business Type	Manufacturer, Foreign Trading

Sputtering targets are mainly used in the electronics and information industries, such as integrated circuits, information storage, liquid crystal displays, laser storage, electronic control devices, etc.; it can also be used in the field of glass coating; it can also be used in wear-resistant materials, high-temperature resistance Corrosion, high-end decorative products and other industries.

Q: Why choose us?

A1: We have 14 years experience for titanium products making.

A2: sample order is acceptable.

A3: lower price, good quality and short delivery time.

A4: The quotation can be made within 24 hours.

A5: ISO9001:2015 certification

A6: Give us drawing, make your drawings and ideas become a reality!

A7: Provide third-party quality inspection reports.



Baoji Luox Quality Metals Co., Ltd.



+8613911115555



test@test.com



titanium-part.com

GAOYA INTERSECTION, BAOTAI ROAD GAOXIN DISTRICT, BAOJI SHAANXI CHINA