





## Uns S32750 Long Welding Neck Flange Astm A182 Astm16.5 Standard

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 piece
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T
- Supply Ability:





Negotiable

1000 piece/week

China

CDX

### **Product Specification**

• Name:

Class:

Product:

• Standard:

• Material:

• Highlight:

. Logo Make:

ASTM A182 UNS S32750 ASTM16.5 GR2 TITANIUM BL TITANIUM PIPE FLANGE TITANIUM PIPE FLANGE

- Accept
  - 150# 2500#
- Titanium Flange
- Ansi Bs Din Jis Asme
- **Titanium Alloy**

Uns S32750 Long Welding Neck Flange, Astm A182 Long Welding Neck Flange, Astm16.5 Flange Long Welding Neck



# ASTM A182 UNS S32750 ASTM16.5 GR2 TITANIUM BL TITANIUM PIPE FLANGE TITANIUM PIPE FLANGE

#### Available Flange types

a.Slip On Flange b.Welding Neck Flange c.Threaded Flange(Screwed Flange) d.Plain Flange e.Blind Flange f.Lap Joint Flange g.Wocket Welding Flange h. welded flange i.titanium large-diameter flange





## The application of different grade titanium flange:

Titanium alloy has the characteristics of light weight, high strength and good corrosion resistance, sotitanium alloy flange is often used in oil drilling, marine engineering, machinery and equipment manufacturing industry in the key pressure

#### parts of the connection.

Due to the excellent corrosion resistance of titanium material, thepure titanium flange is much used for connecting the tube ends of the petrochemical project. It is also useful in equipment exit and entrance to connect the two devices.

Standard	ANSI B16.5	Class 150 Flanges-Class 2500 Flanges		
	DIN	6Bar 10Bar 16Bar 25Bar 40Bar 63Bar		
	JIS	5K Flanges-30K Flanges		
	EN1092-1	6Bar 10Bar 16Bar 25Bar 40Bar 63Bar 100Bar		
Туре	1. Plate Flange 2. Flat Flange 3. Slip on Flange 4. Welding Neck Flange 5.Long Welding Neck Flange 6. Blind Flange 7. Socket Welding Flange 8. Thread Flange 9. Screwed Flange 10. Lap Joint Flange. etc.			
Connection Type	Raised Face, Flat Face, Ring Type Joint, Lap-Joint Face, Large Male-Female, Small Male-Female, Large Tongue, Groove, Small-Tongue, Groove, etc			
Size	1/2"-100",SCH5S-SCH160S,XS,XXS,STD			
Heat Treatment	Normalizing, Annealing, Quenching Tempering			
Applications	Water works, Shipbuilding industry, Petrochemical & Gas industry, Power industry, Valve industry, and general pipes			

#### Custom titanium flange with logo

#### Quality & Inspection:

- 1. PMI test to verify material grade.
- 2. Dimension controlling during fabricating and finished.
- 3. All of the products have been 100% press tested before shipping.
- 4. Packed in Fumigation-free plywood box.
- 5. Third party inspection available.

<b>ZAMAYA</b> Baoji Luox Quality Metals Co., Ltd.					
C	+8613911115555	test@test.com	e titanium-part.com		
GAOYA INTERSECTION, BAOTAI ROAD GAOXIN DISTRICT, BAOJI SHAANXI CHINA					