



Gr1 Gr2 Titanium Clad Copper Bar , ODM Titanium Alloy Plate For Aviation Industry

Our Product Introduction


Basic Information

- Place of Origin: China
- Brand Name: CDX
- Certification: ISO9001:2015 certification
- Model Number: CDX-C-2021-014
- Minimum Order Quantity: 5 piece
- Price: Negotiable
- Packaging Details: plywood case
- Delivery Time: 5-35 working days
- Supply Ability: 500 piece/week



Product Specification

- Material: Titanium And Copper
- Keyword: Clad Flat-rolled Titanium Copper Ti-titanium Copper Composite Plate
- Material: Titanium Gr.1 Gr.2 Copper Cu T2
- Standard: GB/T12769-2003 ASTM B432
- Advantage: Acid Resistance High Performance
- Dimensions: Customs Made
- Technology: Metallurgical Bonding By Explosive Rolled
- Shape: Customized
- Highlight: **Gr1 Titanium Clad Copper Bar,
Gr2 Titanium Clad Copper Bar,
ODM Titanium Alloy Plate**



for more products please visit us on titanium-part.com

Product Description

Clad flat-rolled titanium copper Ti-titanium copper composite plate

★ Material	
Titanium Ti	copper Cu T2
Base: Cu(T2,TU2),AL,etc. Titanium layer: 0.5~3.6mm	
Application :	
◆ Petrochemical industry, container, bicycle, metallurgy	
◆ Aerospace, aerospace, heat exchange equipment	
◆ Aviation industry, chemical industry, naval vessels, special solders	
Dimensions	according customer's request.
Tolerance	+/-0.05mm
Technology	metallurgical bonding by explosive rolled
Standards	ASTM B432 GB/T12769-2003
Shape	Square, Round, Rectangle
Services: CNC , machining, turning, milling, stamping, casting, drilling, grinding, threading etc.	
Titanium copper Explosive Compound	
Welcome OEM, ODM !	





Titanium Clad Copper	
Substrate	Copper T1 T2; Aluminium, etc.
Cladding Materials	Titanium, Zirconium, Nickel, Stainless steel(304, 316L), etc.
Cladding Thickness	Normally 1.0mm - 2.5mm
Standard	GB/T12769-2003 ASTM B432
	Wire: 2 - 6.35mm
Specification	Round: 6.35 - 78mm
	Rectangle: width 20mm - 150mm x thickness 6mm - 30mm
	Flat: side length 10mm - 30mm
	(Other materials and specifications can be produced according to customer requirements.)
Shape	round, drum-shaped, square, flat
Application	electrolysis, electroplating, hydrometallurgy and metal anode electrolysis cell

Quality & Inspection:

1. 100% material inspection before production.
2. Dimension controlling during fabricating and finished.
3. All of the products have been 100% tested before shipping.
4. Packed in Fumigation-free plywood box.
5. Third party inspection available.

Q: Why choose us?

A1: We have 14 years experience for titanium products making.

A2: sample order is acceptable.

A3: lower price, good quality and short delivery time.

A4: The quotation can be made within 24 hours.

A5: ISO9001:2015 certification

A6: Give us drawing, make your drawings and ideas become a reality!

A7: Provide third-party quality inspection reports.



ZAMAYA Baoji Luox Quality Metals Co., Ltd.



+8613911115555



test@test.com



titanium-part.com

GAOYA INTERSECTION, BAOTAI ROAD GAOXIN DISTRICT, BAOJI SHAANXI CHINA