




ASTM B432 Square Titanium Clad Copper Rod T2 Gr2 Material With Acid Resistance

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: CDX
- Certification: ISO9001:2015 certification
- Model Number: CDX-C-2021-020
- Minimum Order Quantity: 5 piece
- Price: Negotiable
- Packaging Details: plywood case
- Delivery Time: 5-35 working days
- Supply Ability: 500 piece/week



Product Specification

- Keyword: Titanium Copper CLAD BAR For Electrolysis Under Strong Corrosion Conditions
- Material: Copper T2 Titanium Gr2
- Standard: ASTM B432 GB/T12769-2003
- Diameter: As Order
- Length: 200mm - 6000mm
- Advantage: Acid Resistance High Performance
- Technology: Rolled
- Name: TI CU CLAD BAR
- Highlight: **Gr2 Titanium Clad Copper Rod, Titanium Clad Copper Rod, ASTM B432 Titanium Square Rod**



for more products please visit us on titanium-part.com

Product Description

Titanium Copper CLAD BAR for Electrolysis under Strong Corrosion Conditions

High-quality Pure Ti Cladding Material Industrial Titanium Clad Copper Bar For Electroplating

Titanium copper composite rod also known as titanium clad copper, a certain thickness of titanium layer is coated on a copper rod, which is the main component of the metal anode. It combines the excellent conductivity of copper with the excellent corrosion resistance of titanium. It is mainly used in electrolysis, electroplating, hydrometallurgy and metal anode electrolysis cell under the condition of strong corrosion. It is a kind of high quality electrode material.





Titanium Clad Copper	
Substrate	Copper T1 T2; Aluminium, etc.
Specification	Round: 6.35 - 78mm
	Rectangle: width 20mm - 150mm x thickness 6mm - 30mm
	Flat: side length 10mm - 30mm
	(Other materials and specifications can be produced according to customer requirements.)
Cladding Materials	Titanium, Zirconium, Nickel, Stainless steel(304, 316L), etc.
Cladding Thickness	Normally 1.0mm - 2.5mm
Standard	GB/T12769-2003 ASTM B432
	Wire: 2 - 6.35mm
Shape	round, drum-shaped, square, flat

Application	electrolysis, electroplating, hydrometallurgy and metal anode electrolysis cell
Titanium Clad Copper	
Standard	GB/T12769-2003 ASTM B432
Specification	Wire: 2 - 6.35mm
	Round: 6.35 - 44.45mm
	Rectangle-flat: 20 x 120mm
Shape	round, drum-shaped, square, flat, bespoke order
Application	electrolysis, electroplating, hydrometallurgy and metal anode electrolysis cell

Q: Why choose us?

A1: We have 14 years experience for titanium products making.

A2: Provide third-party quality inspection reports.

A3: ISO9001:2015 certification

A4: 24 hours online service & quickly quote and delivery.

A5: Lower price, good quality and short delivery time.

A6: Sample order is acceptable.



ZAMAYA

Provide the most accurate data reports

Baoji Luox Quality Metals Co., Ltd.



+8613911115555



test@test.com



titanium-part.com

GAOYA INTERSECTION, BAOTAI ROAD GAOXIN DISTRICT, BAOJI SHAANXI CHINA