



# **OEM Titanium Clad Copper, Titanium Round Bar For Hydrometallurgy** GB/T12769-2003

### **Basic Information**

- Place of Origin:
- Brand Name: Certification:
- CDX
- ISO9001:2015 certification

China

- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Supply Ability:
- CDX-C-2021-025 5 piece Negotiable
- plywood case
- 5-35 working days 500 piece/week



## **Product Specification**

- . Keyword:
- Standard:
- Diameter:
- Material:
- Length:
- Advantage:
- Shape:
- Highlight:

- Customize Titanium Clad Copper For Electrolysis Electroplating Hydrometallurgy Metal Anode Electrolyzer ASTM B432 GB/T12769-2003
  - OEM
  - Titanium Gr2 Copper T2
  - 200mm 6000mm
  - Acid Resistance High Performance
    - As Drawing
    - OEM Titanium Clad Copper, Hydrometallurgy Titanium Clad Copper, GB/T12769-2003 Titanium Round Bar



Customize Titanium Clad Copper for Electrolysis Electroplating Hydrometallurgy Metal Anode Electrolyzer High-quality Pure Ti Cladding Material Industrial Titanium Clad Copper Bar

#### For Electroplating

Titanium copper composite rod also known as titanium clad copper, a certain thickness of titanium layer is coated on a copper rod, which is the main component of the metal anode. It combines the excellent conductivity of copper with the excellent corrosion resistance of titanium. It is mainly used in electrolysis, electroplating, hydrometallurgy and metal anode electrolysis cell under the condition of strong corrosion. It is a kind of high quality electrode material.



Titanium Clad Coppe	r
Substrate	Copper T1 T2; Aluminium, etc.
	Round: 6.35 - 78mm
Specification	Rectangle: width 20mm - 150mm x thickness 6mm - 30mm

	Flat: side length 10mm - 30mm
	(Other materials and specifications can be produced according to customer requirements.)
Cladding Materials	Titanium, Zirconium, Nickel, Stainless steel(304, 316L), etc.
Cladding Thickness	Normally 1.0mm - 2.5mm
Standard	GB/T12769-2003 ASTM B432
	Wire: 2 - 6.35mm
Shape	round, drum-shaped, square, flat
Application	electrolysis, electroplating, hydrometallurgy and metal anode electrolysis cell

### 1, Features:

Titanium clad copper bar Standards: GB/T12769-2003 Coat: Ti,Ni,Zr,Stainless Steel 316L, etc. Base: Cu(T2,TU2),AL,etc. Titanium layer: 0.5~3.6mm Technology: metallurgical bonding by explosive rolled Shape: Square, Round, Rectangle, Drum and so on ,also can do according to customer's requirement

Welcome to contact us for detail

ZAMAYA Baoji Luox Quality Metals Co., Ltd.

 e titanium-part.com

GAOYA INTERSECTION, BAOTAI ROAD GAOXIN DISTRICT, BAOJI SHAANXI CHINA