

Square Titanium Clad Copper Bar For Electrowinning Electroplating **Electrolysis**

Basic Information

. Place of Origin: China . Brand Name: CDX

ISO9001:2015 certification · Certification:

Model Number: CDX-C-2021-028

• Minimum Order Quantity: 5 piece • Price: Negotiable Packaging Details: plywood case • Delivery Time: 5-35 working days • Supply Ability: 500 piece/week



Product Specification

. Keyword: Square Titanium Clad Copper Rod For

Electrowinning/electroplating/electrolysis

Standard: ASTM B432 Squre Or As Order Shape:

• Material: Pure Titanium Gr2 Copper T2 Or As Order

Acid Resistance High Performance Advantage:

• Package: Plywood Case

· Highlight: Electrowinning Titanium Clad Copper Bar,

Electroplating Titanium Clad Copper Bar,

Electrolysis Titanium Square Bar



Product Description

square titanium clad copper rod for electrowinning/electroplating/electrolysis


Our Ti-Clad-Cu specification

Base metal: Cu(T2,TU2),AL,etc.

Coat: Ti,Ni,Zr,Stainless Steel 316L, etc.
Thickness of clad metal: 0.5 mm to 3.2 mm

Specification: ASTM B432 Standards: GB/T12769-2003

Available shape: round rod, square bar, rectangle bar Technology: metallurgical bonding by explosive rolled







Product Name	titanium copper rod
Material	titanum&copper

Color	Metallic
Standard	Industrial
Grade	N/A
Process method	Hot Rolled,Forged
Specification	as required
Dlivery time	7-10 days
Package	Wooden case
Surface	acid surface or polishing, sand blasted surface
Shape	Round, flat, square, hexagonal
Used	Widely use for aerospace, industry and medical聽
Application	It is mainly used as a rack in electroplating, electrolysis, hydrometallurgy and other processes. It not only ensures the original
	electrical conductivity ofcopper, but also protects the copper body from corrosion by titanium coating, and greatly reduces
	electroplating and electrolysis.

Detail spec:

Shape/Size(mm) Round: $\phi(2\sim80)\times(0.5\sim3.0)$

Barrel: $\phi(25,27,29,32,34) \times 14 \times (1.0 \sim 2.0)$

Square: (10~40)X(1.0~2.0) Flat: W(10~100)×H(10~30) Types available: Ti-Cu/Steel bar/plate/tube/block etc.

Radius Transition:(3~5)

Application: Electrolysis, Plating, Hydrometallurgy, Oil and Chemcial indurty, etc.

Welcome to contact us for further information





+8613911115555



test@test.com



titanium-part.com

GAOYA INTERSECTION, BAOTAI ROAD GAOXIN DISTRICT, BAOJI SHAANXI CHINA