



Appliance Pure Titanium Cnc Machining , Titanium Components ODM

Our Product Introduction

for more products please visit us on titanium-part.com

Basic Information

- Place of Origin: China
- Brand Name: CDX
- Certification: ISO9001:2015 certification
- Model Number: CDX- CNC-LUCKY-032
- Minimum Order Quantity: 1 piece
- Price: Negotiable
- Packaging Details: plastic paper inside, plywood case outside
- Delivery Time: 5-25 working days
- Supply Ability: 1000 piece/week



Product Specification

- Name: Custom Metal Milling Turning Service
Titanium CNC Machining Titanium Parts With
Laser Cutting OEM
- Logo Typing: Accept
- Cnc Machining Or Not: CNC Machining
- Service: Customized OEM,OEM/ODM
- Quality Control: 100% Inspection
- Type: Turning,Milling,Other Machining
Services,Laser Machining
- Equipment: CNC Machining Centres,CNC Lathe
Machines
- Size: Technical Drawing,Customized Size
- Color: Blue,golden,purple,natural Color Or Golden
- Highlight: **ODM Titanium Cnc Machining,
Appliance Titanium Cnc Machining,
Cnc Machining Titanium Components**



Product Description

Custom Metal Milling Turning Service titanium CNC Machining titanium Parts with Laser Cutting OEM

Material	pure titanium titanium alloy
Size	Customized
Surface treatment	electroplating, oxide, anodization
Technics	Turning, Milling, CNC center
Sample	Need to pay sample fee
Certification	ISO9001:2015
OEM	Accept
Drawing Format	3D/CAD/Dwg/IGS/STP
Color	Customized
Application	Appliance, Auto, Building, Capital equipment, Energy, Instrumentation, Medical device, Telecommunications



- A, β Titanium plate: 0.5-4.0mm
B. Spectacle plate (pure titanium): 0.8-8.0mm
C. Standard plate (pure titanium): 1 x 2m, thickness: 0.5-20mm

D. Plate for electroplating and other industries (pure titanium): 0.1-50mm

Uses: electronics, chemical industry, clocks, glasses, jewelry, sporting goods, mechanical equipment, electroplating equipment, environmental protection equipment, golf and precision processing industries.

Titanium pipe specification: ϕ 6- ϕ 120mm wall thickness: 0.3-3.0mm

Uses of titanium tubes: environmental protection equipment, cooling tubes, titanium heating tubes, electroplating equipment, rings and various precision electrical tubes.

A, β Titanium wire specification: ϕ 0.8- ϕ 6.0mm

B. Specification of titanium wire for glasses: ϕ 1.0- ϕ 6.0mm special titanium wire

C. Titanium wire specification: ϕ 0.2- ϕ Special for 8.0mm hanger

Uses of titanium wire: military, medical, sporting goods, glasses, earrings, headwear, electroplating hanger, welding wire and other industries.

A. Square bar specification: square bar: 8-12mm

B. Polished round bar: ϕ 4- ϕ 60mm

C. Wool stick and black leather stick: ϕ 6- ϕ 120mm

Usage of titanium rod: mainly used in mechanical equipment, electroplating equipment, medical, various precision parts and other industries.

Welcome to contact us for detail :)



ZAMAYA
Provide the most accurate data reports

Baoji Luox Quality Metals Co., Ltd.



+8613911115555



test@test.com



titanium-part.com

GAOYA INTERSECTION, BAOTAI ROAD GAOXIN DISTRICT, BAOJI SHAANXI CHINA