



Round Titanium Sputtering Target Forged CNC Machining

Our Product Introduction


Basic Information

- Place of Origin: China
- Brand Name: N/M
- Certification: ISO9001:2015 certification
- Model Number: CDX-20220330E
- Minimum Order Quantity: 10 piece
- Price: Negotiable
- Packaging Details: plywood case
- Delivery Time: 5-35 working days
- Supply Ability: 50000KG/month



Product Specification

- Name: Titanium Target Plate
- Key Words: Titanium Sputtering Target
- Application: Coating, Electronics Industry
- Technique: Forged,CNC Machining,Hot Rolled,Forged And CNC Machined
- Grade: Gr1
- Density: 4.51g/cm3
- Highlight: **Round Titanium Ti Target, CNC Machining Tantalum Target, Forged Aluminum Sputtering Target**




for more products please visit us on titanium-part.com

Product Description

Customized Titanium Target Titanium Round Target

High-purity and high-density titanium sputtering targets include:
Titanium sputtering target (purity: 99.9%-99.999%)



Usually we will provide a quality inspection report like this with the goods,
which shows the chemical composition and physical properties

质量证明书
Quality Certificate

证书编号 (Certificate No.): CDX2018031-01

合同号 Contract No.	产品名称 Description	牌 号 Designatio No.	批号 Lot No/ 号 Heat No.	状 态 Condition	规 格 Size(mm)	数 量 Quantity	产品标准 Product Standard						
/	Titanium bar	GR1	YT120180126	M	16mm × 1000 mm	sample	ASTM B348						
室温力学性能 Tensile test	试验温度 (℃) Test Temperature	抗拉强度 Rm (MPa) Tensile Strength	屈服强度 Rp _{0.2} (MPa) Yield Strength	断后伸长率 A(%) Elongation	断面收缩率 Z (%) Reduction of area	水压试验 Hydraulic pressure test	扩口试验 Expanding test	压扁试验 Flattening test					
	Result	526	400	26	50	合格	合格	合格					
	其 它 Others	弯曲试验 Bend Test	低倍组织 Macrostructure	高倍组织 Microstructure	外形尺寸 Dimensional Inspection	表面质量 Visual Inspection	探伤检验 Ultrasonic Inspection	/					
/		/	/	合格	合格	ok		/					
化 学 成 份 Chemical Composition (%)													
Result	Ti	Al	Su	/	/	/	Fe	C	N	H	O	Residual element	
	Remainder	/	/	/	/	/	0.11	0.06	0.02	0.001	0.07	≤0.10	≤0.30
编制: 兰宝喜 Prepared by										报告日期: 2018年3月15日 Report Date			
批准: 质量检验章 Approved by													

Terms of trade	EXW FOB CIF
Payment terms	T/T , L/C
Packing	Plastic paper inside , plywood case outside
Delivery time	In general,the delivery time is 5 days to 35 days. Please confirm the exact delivery time with us as different products and different quantity need different delivery time.
MOQ	Small order quantity is acceptable





Q: Why choose us?

A1: We have 14 years experience for titanium products making.

A2: sample order is acceptable.

A3: lower price, good quality and short delivery time.
A4: The quotation can be made within 24 hours.
A5: ISO9001:2015 certification
A6: Give us drawing, make your drawings and ideas become a reality!
A7: Provide third-party quality inspection reports.

Processing various titanium targets for coating:

Metal targets: tungsten target, molybdenum target, tantalum target, niobium target, zirconium target, cobalt target, vanadium target, copper target, platinum target, hafnium target, niobium target, aluminum target, iron target, chromium target, titanium-niobium alloy target, titanium-zirconium alloy target, titanium-tungsten alloy target, titanium-gold alloy target, titanium-aluminum target, nickel-chromium alloy target, aluminum-chromium alloy target, high-purity titanium target, ultra-high-purity titanium target, high-purity nickel target, high-purity tantalum target, polysilicon Target material, ultra-high purity aluminum target, (99.95%-99.999%),

Classification: Multi-arc ion coating target, titanium flat target, titanium rotary tube target, titanium target back plate, titanium target back tube

Uses: tool coating, decorative coating, electronics industry, flat panel display industry, large area Low-E glass coating, semiconductor, LCD, solar energy industry, optical lens, optoelectronic industry, ceramic binding target, spraying target, etc.

Magnetron sputtering coating target:

Metal sputtering coating target, titanium sputtering target, alloy sputtering coating target, ceramic sputtering coating target, boride ceramic sputtering target, carbide ceramic sputtering target, fluoride ceramic sputtering target, nitride ceramic sputtering target, oxide ceramic target, selenide ceramic sputtering target, silicide ceramic sputtering target, sulfide ceramic sputtering target, telluride ceramic sputtering target, other ceramic target Material, chromium-doped silicon oxide ceramic target (Cr-SiO), indium phosphide target (InP), lead arsenide target (PbAs), indium arsenide target (InAs).



ZAMAYA
Provide the most accurate data reports

Baoji Luox Quality Metals Co., Ltd.



+8613911115555



test@test.com



titanium-part.com

GAOYA INTERSECTION, BAOTAI ROAD GAOXIN DISTRICT, BAOJI SHAANXI CHINA