



Round Nickel Sputtering Target Diameter 60mm Pure Titanium Material

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: N/M
- Certification: ISO9001:2015 certification
- Model Number: CDX-20220331B
- Minimum Order Quantity: 10 piece
- Price: Negotiable
- Packaging Details: plywood case
- Delivery Time: 5-35 working days
- Supply Ability: 50000KG/month



Product Specification

- Name: Titanium Sputtering Target High Purity Titanium Target
- Key Words: Titanium Sputtering Target
- Application: Coating, Electronics Industry
- Grade: Gr1 TA1 Pure
- Density: 4.51g/cm³
- Purity: 99.9%-99.999%
- Purity 1: 2N8-4N
- Material: Pure Zirconium, Pure Niobium (Nb) Target
- Highlight: **Pure Nickel Sputtering Target, Round Nickel Sputtering Target, 60mm Pure Titanium Target**



for more products please visit us on titanium-part.com

Product Description

titanium target nickel target zirconium target customized according to the drawing

Customized Titanium Target Titanium Round Target

product	Pure titanium (Ti) target
purity	2N8-4N
density	4.51g/cm3
Coating dominant color	Gold Blue / Rose Red / black
shape	cylindrical
General size	Diameter 60/65/95/100*30/32/40/45mm



Our Product Introduction

for more products please visit us on titanium-part.com



Usually we will provide a quality inspection report like this with the goods, which shows the chemical composition and physical properties

质量证明书
Quality Certificate

证书编号 (Certificate No.): CDX2018031-01

合同号 Contract No.	产品名称 Description	牌 号 Designatio No.	批号 Lot No/锭号 Heat No.	状 态 Condition	规 格 Size(mm)	数 量 Quantity	产品标准 Product Standard						
/	Titanium bar	GR1	YT120180126	M	16mm ×1000 mm	sample	ASTM B348						
室温力学性能 Tensile test	试验温度 (℃) Test Temperature	抗拉强度 Rm (MPa) Tensile Strength	屈服强度 Rp _{0.2} (MPa) Yield Strength	断后伸长率 A (%) Elongation	断面收缩率 Z (%) Reduction of area	水压试验 Hydraulic pressure test	扩口试验 Expanding test	压扁试验 Flattening test					
	Result	526	400	26	50	合格	合格	合格					
其 它 Others	弯曲试验 r° Bend Test	低倍组织 Macrostructure	高倍组织 Microstructure	外形尺寸 Dimensional Inspection	表面质量 Visual Inspection	探伤检验 Ultrasonic Inspection	/						
	/	/	/	合格	合格	ok	/						
化 学 成 份 Chemical Composition (%)													
Result	Ti	Al	Su	/	/	/	Fe	C	N	H	O	Residual element	
	Remainder	/	/	/	/	/	0.11	0.06	0.02	0.001	0.07	≤0.10	≤0.30
编制: 兰宝霞 Prepared by				批准: 宝德鑫钛金属材料有限公司 Baoji Quality Metals Co., Ltd. 质量检验章				报告日期: 2018年3月15日 Report Date					

Supply titanium square target, titanium round target, titanium special-shaped target





Purity is one of the main performance indicators of the target, because the purity of the target has a great influence on the performance of the thin film.

Q: Why choose us?

- A1: We have 14 years experience for titanium products making.
- A2: sample order is acceptable.
- A3: lower price, good quality and short delivery time.
- A4: The quotation can be made within 24 hours.
- A5: ISO9001:2015 certification
- A6: Give us drawing, make your drawings and ideas become a reality!
- A7: Provide third-party quality inspection reports.

Diameter 60/65/95/100*30/32/40/45mm
 Titanium Aluminum (TiAl) Alloy Target 2N8-4N 3.6-4.2 Rose Gold/Brown I
 Pure Chromium (Cr) Target 2N7-4N 7.19 White/Black Cylindrical
 Pure titanium (Ti) target 2N8-4N 4.51 golden yellow/gun black cylindrical
 blue/rose red
 Pure Zirconium (Zr) Target 2N5-4N 6.5 Gold Cylindrical
 Pure Aluminum (Al) Target 4N-5N 2.7 Silver Cylindrical
 Pure Nickel (Ni) Target 3N-4N 8.9 Metal Color Cylindrical
 Nickel Vanadium (Ni) Target 3N 8.57 Blue Green Cylindrical
 Pure Niobium (Nb) Target 3N 8.57 White Cylindrical
 Pure Tantalum (Ta) Target 3N5 16.4 Black/Purple Cylindrical
 Pure Molybdenum (Mo) Target 3N5 10.2 Black Cylindrical



ZAMAYA Baoji Luox Quality Metals Co., Ltd.



+8613911115555



test@test.com



titanium-part.com

