



High Purity Niobium Titanium Sputtering Target Ti70Nb30 For Vacuum Coating Industry

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: N/M
- Certification: ISO9001:2015 certification
- Model Number: CDX-202200401C
- Minimum Order Quantity: 20 piece
- Price: Negotiable
- Packaging Details: plywood case
- Delivery Time: 5-35 working days
- Supply Ability: 50000KG/month



Product Specification

- Product: Ti70Nb30 Titanium Niobium Alloy Sputtering Target
- Key Words: Titanium Niobium Sputtering Target
- Application: Liquid Crystal Display, Electronic Information
- Density: 4.75g/cm³
- Material: Titanium Niobium Alloy Ti70Nb30
- Highlight: **Vacuum Coating Aluminum Sputtering Target, High Purity Niobium Sputtering Target, Ti70Nb30 Titanium Sputtering Target**



for more products please visit us on titanium-part.com

Product Description

Titanium Niobium Alloy Target TiNb Target Ti90Nb10 Ti80 Nb20
Ti70Nb30 Titanium Niobium Alloy Sputtering Target







Usually we will provide such a quality inspection report with the goods, which shows the chemical composition and physical properties

宝鸡丞德鑫钛金属材料有限公司
Baoji Quality Metals Co., Ltd

质量证明书 Quality Certificate

证书编号 (Certificate No.): CDX2018031-01

证书编号 (Certificate No.): CDA20190303-01														
合 同 号 Contract No.	产品名称 Description	牌 号 Designatio No.	批 号 Lot No/锭 号 Heat No.	状 态 Condition	规格 Size(mm)	数量 Quantity	产品标准 Product Standard							
/	Titanium bar	GR1	YT120180126	M	16mm ×1000 mm	sample	ASTM B348							
室温力学性能 Tensile test	试验温度 (℃) Test Temperature	抗拉强度 Rm (MPa) Tensile Strength	屈服强度 Rp _{0.2} (MPa) Yield Strength	断后伸长率 A(%) Elongation	断面收缩率 Z (%) Reduction of area	水压试验 Hydraulic pressure test	扩口试验 Expanding test	压扁试验 Flattening test						
	Result	526	400	26	50	合格	合格	合格						
其 它 Others	弯曲试验 r ^o Bend Test	低倍组织 Macrostructure	高倍组织 Microstructure	外形尺寸 Dimensional Inspection	表面质量 Visual Inspection	探伤检验 Ultrasonic Inspection	/							
	/	/	/	合格	合格	ok	/							
化 学 成 份 Chemical Composition (%)														
Result	Ti	Al	Sn	/	/	/	Fe	C	N	H	O	Residual element		
	Remainder	/	/	/	/	/	0.11	0.06	0.02	0.001	0.07	≤0.10 ≤0.30		
编制: 兰宝富 Prepared by											批准: 宝鸡丞德鑫钛金属材料有限公司 Approved By		报告日期: 2018年3月15日 Report Date	
质量检验章														

The high-purity targets used in the vacuum coating industry (titanium targets, titanium-niobium targets, zirconium targets, chromium targets, titanium-aluminum targets, etc.) have formed a good reputation in the tool coating and stainless steel decorative coating industries after years of development. Multi-arc ion coating machine The chrome round target and titanium-

aluminum target used have also been recognized by well-known enterprises in the industry, and have established a good cooperative relationship. The magnetron sputtering titanium flat target and medium frequency magnetron sputtering tube target produced by the company have passed the authoritative certification and become export best-selling products.



Baoji Luox Quality Metals Co., Ltd.



+8613911115555



test@test.com



titanium-part.com

GAOYA INTERSECTION, BAOTAI ROAD GAOXIN DISTRICT, BAOJI SHAANXI CHINA