

Mirror Polished Titanium Anode Plate 6mm For Electroplating Equipment

Basic Information

Place of Origin: ChinaBrand Name: CDX

Certification: ISO9001:2015 certification

Model Number: CDX-TB-2022-16

Minimum Order Quantity: 100kg
Price: Negotiable
Packaging Details: plywood case
Delivery Time: 5-35days
Payment Terms: L/C, T/T

Supply Ability: 50000 kg per month



Product Specification

• Item: Mirror Polished 6mm Titanium Anode Plate

Sheet

• Surface: Mirror Polished, Bright, Pickling, Acid

Cleaning

• Density: 4.51g/cm3

Technique: Forged,Rolled,forging And Rolling Anneal
 Application: Industrial And Medical,electroplating Equipment,Mechanical Equipment
 Standard: ASTM B348,ASTM F136,AMS 4928,ASTM

F67,Hot Sale Gr1 Titanium Bar

Highlight: Mirror Polished Titanium Anode Plate,


Titanium Anode Plate 6mm,

Electroplating Equipment Titanium Plate Sheet



mirror polished 6mm titanium anode plate sheet

Item Name	Titanium plate
Application	Metallurgy, electronics, petroleum, aerospace Industry, Medical, Surgical plant, Aerospace, Chemical industry Electronic industry Mechanical engineering
Туре	GR1, GR2, GR3, GR4, GR5, 6AL4V Eli, GR7, GR9, GR12, GR23,TB3, TB6, TC4, TC6, TC11, TC17, TC18
Standard	ASTM B265, AMS4911, AMS4911H, ASTM F136, ASTM F67 GB/T3621-2007
Specification	Hot Rolling: Length 1000-4000mm,Width 400- 3000mm,Thickness 4.1-60mm
	Cold Rolling :Length 1000-3000mm,Width 400- 1500mm,Thickness 0.3-3.0mm
Certificate	ISO 9001:2008
Supply Ability	10 Tons per Month
Delivery	Within 5~35 days



Mill Test Certificate sample

宝 丞 金属材料有限公司 Baoji Quality Metals Co., Ltd

量 明 Quality Certificate

号(Certificate

No.):CDX20220625LA

NO.).CDX20220025LA									
合同号 Contract No.	品名称 Descriptio n	Designatio	批号Lot No/号 Heat No.	犬 C 格 n Size(m di m) ti o	数量 Quantity	品 准 Product Standard			

/	板	TA2	CDX202 14#	М	20mm× 1000m m×2000 mm	sample	GB/T3	621	
室温力学性能 Tensile test	温度() Test Temperatu re	Rm(MPa) Tensile	屈服 度 Rp _{0.2} (M Pa) Yield Strengt h	%) EI	断面收 率 Z(%) Reductio n of arca	水 Hydrauli c pressure test	☐ Expan ding text	扁 Flattening text	
	Result	455		3	/	合格	合格	合格	
其它 Others	弯曲 r ^o Bend Test	低倍 Macrostruct ure	高倍 Microst ructure	外形尺寸Dimensionalnspection	表面 量 Visual Inspecti on	探 Ultrasc Inspec		/	
//- *** 	/	/	/	合格	合格	ok		/	
	nical Comp		// //	, F	C I			Residual	
Result	Ti	Al Sn	<u> </u>	e	7		U 1	element	
	Remainder	, ,	// /	/ 0 1 9	0.014	0.0011	0.094	1	
	Prepared by: <u>李海魁</u> 批准: Report Date: <u>2022年11月8日</u>								
Heport ∪ate: <u>2022年11月8日</u>									

The advantages of titanium plate:

- 1. Titanium plate has strong corrosion resistance and long service life.
- 2. The weight of the titanium plate is light.
- 3. Titanium plate has good strength.
- 4. Titanium plate has good thermal conductivity.
- 5. The titanium plate is non-toxic and resistant to high temperature.
- 6. Titanium plate has good plasticity.
- 7. Titanium plate is easy to process and form.
- 8. Titanium plate has good electrical conductivity.
- 9. The titanium plate can be welded and easy to polish.
- 10. Titanium plate has high tensile strength. (Twice as high as stainless steel).
- 11. The surface gloss of the titanium plate is good.12. Titanium plate is not easy to adhere to organic matter.
- 13. The titanium plate is easy to clean.
- 14. Titanium plate is not magnetic.
- 15. Titanium plate has good compatibility with most metal materials and non-metals.
- 16. Titanium plate has excellent noise reduction effect and shock absorption effect.
- 17. Titanium plate has excellent heat resistance and low temperature toughness.
- 18. Titanium plate will not oxidize and lose luster at high temperature.

Titanium plate

Medical titanium plate Rolled titanium plate Hot rolled titanium plate cold rolled titanium plate Titanium industry plate

Process titanium parts according sample or drawing. Welcome OEM, ODM!



ZAMAYA Baoji Luox Quality Metals Co., Ltd.



+8613911115555





test@test.com titanium-part.com

GAOYA INTERSECTION, BAOTAI ROAD GAOXIN DISTRICT, BAOJI SHAANXI CHINA