



Titanium Alloy / Pure Titanium Machined Parts Grade

Basic Information

. Place of Origin: China . Brand Name: CDX

ISO9001:2015 certification · Certification: Model Number: CDX-CNC-LUCKY-0123

• Minimum Order Quantity: 1 piece • Price: Negotiable

 Packaging Details: plastic paper inside, plywood case outside

• Delivery Time: 5-35 working days • Supply Ability: 2000 piece/week



Product Specification

• Product: Machined Titanium Alloy Accessories Pure

Titanium Machined Parts

Titanium Parts . Keywords:

Titanium Grade 1 Grade 2 Grade 5 Grade7 Material:

• Dimensions: As Order Request • Standard Parts Or Not: Non Standard Parts Standard: DIN GB ISO JIS BA ANSI

· Highlight: **Machined Titanium Alloy Accessories**,

Pure Titanium Machined Parts ISO, **Titanium Machined Parts Gr5**



Product Description

Machined Titanium Alloy Accessories Pure Titanium Machined Parts





Titanium special-shaped parts Titanium non-standard fasteners are mainly engaged in the production of titanium special-shaped bolts Titanium special-shaped nuts, titanium hot beating special-shaped parts, titanium turning special-shaped parts, titanium plane special-shaped parts, specially for industrial and mining construction machinery auto parts, titanium fasteners, titanium connectors and other titanium accessories Welcome new and old customers to come for drawings, samples and telephone inquiries

| Titanium | Machined Titanium Alloy Accessories Pure Titanium Machined |
|-------------|--|
| Titaliiuiii | Parts |

| custom CNC titanium machining parts | |
|---|--|
| Tolerance | +/-0.005 (customize available) |
| Surface roughness | Ra0.2-Ra3.2 (customize available) |
| materials | titanium grade 2 grade 5 |
| processing | CNC turning, milling, drilling, auto lathe, tapping, bushing surface treatment, anodized, etc. |
| Anodizing | black, gold, red, blue, grey purple, etc |
| Carburizing | black, grey etc. |
| Nitrided | black, grey etc. |
| quality assurance | 100% quality check before delivery. |
| Process titanium parts according sample or drawing. | |
| Welcome OEM, ODM! | |

In the early mechanical polishing process, it was quite time-consuming. All mechanical polishing methods supplied to titanium machining manufacturers used polishing solution containing etchant in the one step or two steps after Z polishing process. Suppose that the supplier of titanium machine parts uses 320 grit sandpaper to complete the sample grinding process, but this may not always be the case. If the sample is cut with ultra-thin cutting pieces or grinding wheel cutting pieces with proper bonding strength, the cutting surface is flat and the damage layer Z is small, then 320 grit abrasive paper can be used to finish the sample grinding process. If the cut surface is rough and the damage layer is large. For example, using a band saw to cut may produce such a result. At this time, it is necessary to use coarser sandpaper and spend a certain amount of time to remove the damaged layer.

Q: Why choose us?

- A1: We have 14 years experience for titanium products making.
- A2: sample order is acceptable.
- A3: lower price, good quality and short delivery time.
- A4:The quotation can be make within 24 hours.
- A5: ISO9001:2015 certification
- A6: Give us drawing, make your drawings and ideas become a reality!
- A7: Provide third-party quality inspection reports. Ultrasonic testing & material test report.









GAOYA INTERSECTION, BAOTAI ROAD GAOXIN DISTRICT, BAOJI SHAANXI CHINA